151

Compiler 150

Policy 105

Policy Generator Wizard Tool *Initial policy*

110

140

Secure Mgmt Connection
141

Secure Mgmt Conne -ction
142

128

106

100

Parser 101

Policy Engine *assign dispositions* 102

Logging Policy 103

Logger *db write*

Alarm script 155

130

Database 104

QueryTool Program 135

127

Monitor *protocol processing*

125 Ethernet Traffic

Packet Capture 126

115

Report Script 160

Reports 161

Secure Web Server
164
165

WebServer 162

Report Database

163

Figure 1a

Figure 1b

(201) Generate Initial Policy

Monitor Policy Compliance (202)

Report Security Problems (203)

Fix Corporate Policy (205)

Fix Policy Specification (204)

Fix Network Problems (203)

Fig. 2

Fig. 3

301

Name	Includes	Excludes	Description
Inside_Nodes	10 0 0 0/8		The hosts in our Intranet
Outside_Nodes		Inside_Nodes	All hosts not in the Intranet

Fig. 4a

K Policy Processor	⊠
Output Directory: C:\	Browse
Output File: null spm	
Process Policy	

— 402
— 401

Close

Fig. 4b

Policy Processor

Output Directory: C:\spm\quickstart\

Output File: null.spm

[Process Policy...]

Loading input file C:\spm\quickstart\null.spw ...
... C:\spm\quickstart\null.spw loaded
Generating policy into file C:\spm\quickstart\null.spm ...
warning: IP mask '10.0.0.0/8' cannot be used to define a directed broad
warning: no explicit rules have been defined for policy domain 'Intrane

****** Found 0 error(s)

Success

[Close]

403

Fig. 5

SPM: Argument Selector Dialog ☒

Monitor Configuration

Input dump file	C:\spm\quickstart\qs.dmp	Browse
Policy	C:\spm\quickstart\null.spm	Browse
Monitoring Folders (comma separated)	INTRANET_MONITOR	

Monitor Logging Options

Execution Run Comment

DDBC name	sybase
DB Username	policy
DB Password	****** ☑ Save Password in secret

Output Options

☐ Output to console
☑ Output to file c:\spm\...\output.txt Browse

Run — 501
Exit — 507
Advanced — 502
Help — 503

Progress
Run
100%

504
505
506
0%

Fig. 6

K Query Tools

- Network Events — 601
- IP Connectivity
- Sql Query
- Domain Name Lookup
- Select Default Run
- Database Connect
- IP 2 Name Or

Fig. 7

K Database Connect ☒

User Name: | policy |

Password: | |

DB Server Type: | Sybase ▼ |

| Policy |

DB Server: | localhost |

[Connect] [Cancel]

Fig. 8

Fig. 9

Rule Name	Disposition Name	Initiator IP	Init Name	Target IP	Targ Name	Targ Service
Udp_Deny	Udp_Access_Denied	10 5 63 143	vg-143 securify com	10 5 63 6	dude securify com	domain
Http_Deny	Http_Access_Denied	10 5 63 143	vg-143 securify com	208 178 27 198		http
Http_Deny	Http_Access_Denied	10 5 63 143	vg-143 securify com	208 178 27 201		http
Http_Deny	Http_Access_Denied	10 5 63 143	vg-143 securify com	208 178 27 198		http
Udp_Deny	Udp_Access_Denied	10 5 63 143	vg-143 securify com	10 5 63 6	dude securify com	domain
Udp_Deny	Udp_Access_Denied	10 5 63 143	vg-143 securify com	10 5 63 6	dude securify com	domain
Http_Deny	Http_Access_Denied	10 5 63 143	vg-143 securify com	204 71 200 68	www3 yahoo com	http
Udp_Deny	Udp_Access_Denied	10 5 63 143	vg-143 securify com	10 5 63 6	dude securify com	domain
Http_Deny	Http_Access_Denied	10 5 63 143	vg-143 securify com	10 5 63 97	kabale securify com	http
Tcp_Missed_Connections	Warn_Missed_Tcp_Connect	10 5 63 143	vg-143 securify com	10 5 63 24	fred.securify com	netbios-ssn

Fig. 10a

Fig. 10b

K Policy Generator - C:\...

File Help

Community | Policy Domains | Rules | Services |

Name	Include	Exclude	Description
Inside_Nodes	10.0.0.0/8		The hosts in our Intranet
Outside_Nodes		Inside_Nodes	All hosts not in the Intranet

New | Delete | Find Uses

Fig. 10c

1105 — Internet

1104 — R

1102 — DMZ

1106

1107

R

Corporate

1103 — F/W

1101 — Intranet

Fig. 11

Fig. 12

```
                          ┌──────────────────────────┐
                          │ (2001) Output rule name  │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2002) Output agent name │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2003) Loop through      │
                          │ protocol and action      │
                          │ combinations             │
                          └──────────────────────────┘
                                       │
                                       ▼
┌────────────────────┐       ◇─────────────────◇       ┌──────────────────────┐
│ (2014) Rule applies │  n   ╱ (2004) Is         ╲  y   │ (2005) Rule applies to│
│ to certain actions  │◄──── ╲ action ignore?    ╱ ───►│ whole protocol        │
│ only                │       ◇─────────────────◇       └──────────────────────┘
└────────────────────┘                                           
             │              ┌──────────────────────────┐          │
             └─────────────►│ (2006) Look at immediate  │◄─────────┘
                            │ outcome                   │
                            └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2007) Output corresponding│
                          │ directive for the outcome  │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2008) if any conditions on│
                          │ disposition then output    │
                          │ conditions                 │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2011) Look at final      │
                          │ outcome                   │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2012) Output corresponding│
                          │ directive for the outcome  │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2013) if any conditions on│
                          │ disposition then output    │
                          │ conditions                 │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2009) If rule applies to a│
                          │ particular initiator or    │
                          │ target then output initiator│
                          │ or target name else output │
                          │ anyone                      │
                          └──────────────────────────┘
                                       │
                                       ▼
                          ┌──────────────────────────┐
                          │ (2010) if prerequisites   │
                          │ apply then output         │
                          │ prerequisites.            │
                          └──────────────────────────┘
```

Agent-to-protocols assoc. array

(3001)

Key	Value	
INTRANET_MONITOR		
...		

Protocol-to-actions assoc. array

(3002)

Key	Value
TCP	
...	

Action-to-rules assoc. array

(3003)

Key	Value
CONNECT	
...	

Ordered rules array

(3004)

Rule	Rank #
Rule F	7
...	...

Fig. 13

CREATE A NULL POLICY
AND SET TO CURRENT POLICY   (4001)

RUN POLICY ENGINE USING
(4009)   INPUT NETWORK EVENT DATA   (4002)
AND CURRENT POLICY

STORE RESULTS IN DATABASE   (4003)

USE QUERY TOOL TO EXAMINE
NETWORK TRAFFIC IN VIOLATION   (4004)
OF CURRENT POLICY

IF TRAFFIC MATCHES KNOWN
CUSTOMER-SUPPLIED PATTERNS,
ADD TRAFFIC TO POLICY WITH   (4005)
'OK' DISPOSITION

IF TRAFFIC DOES NOT MATCH KNOWN
CUSTOMER-SUPPLIED PATTERNS,
BUT HAS HIGH VOLUME   (4006)
ADD TRAFFIC TO POLICY WITH
'OK, monitor' DISPOSITION

NO   IS NUMBER OF REMAINING
EVENTS MANAGEABLE   (4007)
AND/OR SMALL ?

Fig. 14

YES
END   (4008)

(125 or 126)

PACKET DATA

127

NETWORK
MONITOR

115

SERIALIZED STREAM
OF NETWORK EVENTS
IN ENCODED FORMAT

Fig. 15

(125 or 126)

PACKET DATA

NETWORK
MONITOR

PROTOCOL ENGINE

OUTPUT SECTION

6100   127   6200

115

SERIALIZED STREAM
OF NETWORK EVENTS
IN ENCODED FORMAT

Fig. 16

PROTOCOL TRANSLATE STRUCTURE

CONNECTION STRUCTURE 6107

PROTOCOL1 → MODULE GENERIC OPS

PROTOCOL2 → MODULE GENERIC OPS

6107

PROTOCOLN → MODULE GENERIC OPS

6107

6109

6108
6108
6108

PACKET STRUCTURE

STACK-BASED STRUCTURE

PROTOCOL1 HEADER
PROTOCOL1 TRAILER — 6103

PROTOCOL2 HEADER
PROTOCOL2 TRAILER — 6103

PROTOCOLN HEADER
PROTOCOLN TRAILER — 6103

GENERIC SRC ADDRESS LOCATION
GENERIC DST ADDRESS LOCATION
FLAGS

6100 6101 6102

6104
6105
6106

INPUT PACKET DATA

Fig. 17

NETWORK EVENT DATA → OUTPUT SECTION → OUTBOUND CALLS TO TRANSMIT DATA

6201   6200   6203

Fig. 18

ASSOCIATION

6205

SUBJECT MONITOR CONNECTION

NETWORK EVENT

TRANSACTION

6206

6207

6204

Fig. 19

Fig. 20

This is a screen shot of the tear-off status console. On the main page (Dashboard) if you click on the tear-off tab then this window is opened. It is intended that the user could keep this open on their computer all day to receive a high level view of the health of their network.

SECURIFY ▼ Restore

Alerts HISTORY

ALERTS OPEN - 16
Url Attack Successful
    12:22:46PM 03/05/2001
Url Attack Successful
    08:07:04AM 03/05/2001
Url Attack Successful
    11:44:43AM 03/04/2001
Ssh Security Attack
    01:48:06PM 03/03/2001
Ssh Security Attack
    01:48:06PM 03/03/2001
Ssh Security Attack
    01:46:18PM 03/03/2001
Ssh Security Attack
    01:46:17PM 03/03/2001
Pathetic Encryption
    05:21:01PM 03/02/2001
Pathetic Encryption
    05:21:01PM 03/02/2001
Pathetic Encryption
    05:20:44PM 03/02/2001

Network Health

| 99 | 1 |
% last hour

| 98 | 11 |
% past 24 hours

© 2000, 2001 Securify, Inc. All Rights Reserved.

Fig. 21

Security Chain Verification Service

profile   log out   help

Dashboard • Summary

server time:
12.21.00 15:13
PST

Events Summary

today ▼

Conformance | Violators | Targets

7,153 violations of 1,131,477 total events (1%)
CONFORMANCE

6279
3140
0

5   12   2   563   17   2   6279   266   7

Rule: default-rule
Disposition: internal-error

rules 12/19/2000-12/21/2000

Viewing: 1 - 9 of 9

Detail	Count	Rule	Disposition	Type	Severity
View	5	Http Servers Response	Unauthorized_Access_To_Url	ACCESS_VIOLATION	CRITICAL
View	12	Tcp Blocked Services Violation	Tcp_Access_Violation	ACCESS_VIOLATION	HIGH
View	2	Icmp From Pss Block	Icmp_Compromising_Traffic	ACCESS_VIOLATION	HIGH
View	563	Http Servers Response	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	17	Http Web Servers Block	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	2	Http Forum Servers Block	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	6279	Tcp Blocked Services Response	Probable_Scan	SECURITY_ATTACK	WARNING
View	266	Udp Blocked Services	Probable_Scan	SECURITY_ATTACK	WARNING
View	7	default-rule	internal-error	ERROR	WARNING

Print Version

Fig. 22

2201   2202   2203   2204   2205   2206   2207

1

profile   log out   help

Dashboard • Summary • Detail

server time:12.21.00 17:24 PST

Security Chain Verification Service

Conformance Event Detail

**Http_Servers_Response / Unauthorized_Access_To_Url
ACCESS_VIOLATION / CRITICAL**

Print Version

VIOLATORS

SrcIp:
208.50.51.100

srcIP 12/19/2000-12/21/2000

_2302_
_2303_
_2301_

Fig. 23

Viewing: 1 - 5 of 5

Detail	▼SrcIP	SrcPort	DstIp	DstPort	ProtId	DateTime	AppData	Status	Monitor
View	212.210.11.4	2135	209.143.242.119	80	6	09:36:35AM 12/21/2000	209.143.242.119:80/	200	PSS MONITOR
View	208.50.51.100	1060	209.143.242.118	80	6	08:28:55PM 12/20/2000	www.w2.securify.com/pkiform .phtml	200	PSS MONITOR
View	208.50.51.100	1062	209.143.242.118	80	6	08:29:49PM 12/20/2000	www.w2.securify.com/pkiform .phtml	200	PSS MONITOR
View	208.50.51.100	1064	209.143.242.118	80	6	08:30:15PM 12/20/2000	www.w2.securify.com/pkiform .phtml	200	PSS MONITOR
View	208.50.51.100	1066	209.143.242.118	80	6	08:30:38PM 12/20/2000	www.w2.securify.com/pkiform .phtml	200	PSS MONITOR

1

File Edit View Favorites Tools Help

Back ▾ ➡ ▾ ⊗ ⊠ ⊞ | ⊗ Search ⊛ Favorites ⊘ History | ⊟ ▾ ⊜ ⊠ ⊟

Address ⊗ C:\Documents and Settings\goooo\Desktop\svsdemo\protviewscm\fig.html

"0soma" 20992360

| Links ⊗ CNN.com ⊗ AltaVista - Welcome ⊗ Customize Links ⊗ Free Hotmail

⊘ Go

SECURIFY

Security Chain Verification Service

profile   log out   help

Dashboard • Policy History

server time: 12.26.00 9:21 PST

Protocol Event Details

Http_Servers_Response / Unauthorized_Access_To_Url
ACCESS_VIOLATION / CRITICAL

Select Protocol - Action

- IP-ASSOCIATION
- TCP-CONNECT
- HTTP-GET
- HTTP-RESPONSE
- TCP-CLOSE

IP - ASSOCIATION		
Protocol	**Initiator**	**Target**
IPAddr32	212.210.11.4	209.143.242.119
Port	2135	80
IFAddr	0003326D83C00000	0050DA16E97C0000
IPprotId	6	6

© 2000 Securify, Inc. All Rights Reserved. Copyright info

Fig. 24

SECURIFY

Security Chain Verification Service

Dashboard • Summary

server time:
12.21.00 15:13
PST

Events Summary

[today ▼]

| Conformance | Violators | Targets |

7,153 violations of 1,131,477 total events (1%)

CONFORMANCE

```
6279
                        6279

3140

                  563   17    2          266    7
   0    5    12    2
```

rules 12/19/2000-12/21/2000

Fig. 25

Viewing: 1 - 9 of 9

Detail	Count	Rule	Disposition	Type	▼Severity
View	5	Http Servers Response	Unauthorized_Access_To_Url	ACCESS_VIOLATION	CRITICAL
View	12	Tcp Blocked Services Violation	Tcp_Access_Violation	ACCESS_VIOLATION	HIGH
View	2	Icmp From Pss Block	Icmp_Compromising_Traffic	ACCESS_VIOLATION	HIGH
View	563	Http Servers Response	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	17	Http Web Servers Block	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	2	Http Forum Servers Block	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	6279	Tcp Blocked Services Response	Probable_Scan	SECURITY_ATTACK	WARNING
View	266	Udp Blocked Services	Probable_Scan	SECURITY_ATTACK	WARNING
View	7	default-rule	error	ERROR	WARNING

This event denotes
network protocol
behavior typically
associated with the
scanning of a
blocked service

~ 2501

SECURITY
Security Chain Verification Service

Events Summary

Conformance | Violators | Targets

7,153 violations of 1,131,477 total events (1%)
CONFORMANCE

6279
3140
0

5   12   2   563   17   2   6279   266   7

rules 12/19/2000-12/21/2000

Fig. 26

Viewing: 1 - 9 of 9

Detail	Count	Rule	Disposition	Type	Severity
View	5	Http Servers Response	Unauthorized_Access_To_Url	ACCESS_VIOLATION	CRITICAL
View	12	Tcp Blocked Services Violation	Tcp_Access_Violation	ACCESS_VIOLATION	HIGH
View	2	Icmp From Pss Block	Icmp_Compromising_Traffic	ACCESS_VIOLATION	HIGH
View	563	Http Servers Response	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	17	Http Web Servers Block	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	2	Http Forum Servers Block	Invalid_Url	SECURITY_ATTACK	MEDIUM
View	6279	Tcp Blocked Services Response	Probable_Scan	SECURITY_ATTACK	WARNING
View	266	Udp Blocked Services	Probable_Scan	SECURITY_ATTACK	WARNING
View	7	def...	internal-error	ERROR	WARNING

The server responds to an attempt to access a blocked service; correctly if it resets the connection, incorrectly if it allows data through

2601

1

SECURITY

Security Chain Verification Service

Dashboard • Summary • Detail

server time: 12.21.00 17:24 PST

today ▼

Conformance Event Detail

Http_Servers_Response / Unauthorized_Access_To_Url
ACCESS_VIOLATION / CRITICAL

VIOLATORS

srcIP 12/19/2000-12/21/2000

Fig. 27

Viewing: 1 - 5 of 5

Detail	▼SrcIP	SrcPort	DstIp	DstPort	ProtId	DateTime	AppData	Status	Monitor
View	212.210.11.4	2135	209.143.242.119	80	6	09:36:35AM 12/21/2000	209.143.242.119:80/	200	PSS MONITOR
View	208.50.51.100	1060	209.143.242.118	80	6	08:28:55PM 12/20/2000	www2.securify.com/pkiform.phtml	200	PSS MONITOR
View	208.50.51.100 [208-50-51-100.nas2.fhu.gblx.net]		209.143.242.118	80	6	08:29:49PM 12/20/2000	www2.securify.com/pkiform.phtml	200	PSS MONITOR
View	208.50.51.100	1064	209.143.242.118	80	6	08:30:15PM 12/20/2000	www2.securify.com/pkiform.phtml	200	PSS MONITOR
View	208.50.51.100	1066	209.143.242.118	80	6	08:30:38PM 12/20/2000	www2.securify.com/pkiform.phtml	200	PSS MONITOR

2701

1

File Edit View Favorites Tools Help

⇦ Back ⇨ · ⊘ ⊠ ⌂ ⊘Search ⊠Favorites ⊛History ⊠- ⊜ ⊟ ⊟

Address ⊠

profile   log out   help

Verification Service

Dashboard • Alert History

server time: 12.21.00 15:53 PST

Print Version   **Alert History**

Cleared	Detail	Rule	Disposition	Alert Time	LogDescription	Type	SrcIP	SrcPort	DstIP	DstPort	ProtId	DateTime	App	Pol S...
☐	[View]	Http Servers Response	Unauthorized Access To Url	08.29 49PM 12/20/2000	A user was granted access to a restricted URL	ACCESS VIOLATION	208 50 51 100	1062	209 143 242 118	80	6	08 29 49PM 12/20/2000	www2 s___y com/pkiform phtml 200	PSS MONITOR

Select All   Reset   Update Cleared

1

© 2000 Securify, Inc All Rights Reserved Copyright info

⊟ My Computer

Fig. 28   2801

Back • ➡ • ⊗ ⊕ ⚹ | ⊗ Search ⬓ Favorites ⟲ History | ⬓ • ⬤ ⊟ ⊟ | | Links ⬚ AltaVista - Welcome ⬚ CNN.com ⬚ Customize Links »

Address ⬚ file:///C:/Documents%20and%20Settings/gcooper/Desktop/svsdemo/servlet/eventsummaries.html?dateRange=today&fromMM=12&fromDD=21&fromYYYY=2000&several ▼ ⟶ Go

profile   log out   help

Security Chain Verification Service

Dashboard • Summary

Events Summary

server time:
12.21.00 15:13
PST

Print Version

today ▼

Conformance \ Violators \ Targets

7,153 violations of 1,131,477 total events (1%)
VIOLATORS

~ 2901

6084
6084

3042

115 67 57 47 32 26 25 21 21

0

2903

source IP 12/19/2000-12/21/2000

2904

Viewing: 1 - 15 of 332

SrcIp:
209.143.242.119

2206

Detail	Count	IPSrcAddres	DNSName
View	6084	62.153.22.52	p3E991634.dip.t-dialin.net
View	115	202.112.29.141	pinto.synet.edu.cn
View	67	24.216.33.11	24-216-33-11.hsacorp.net
View	57	217.96.179.79	pa79.kepno.sdi.tpnet.pl
View	47	63.242.229.194	194.mube.chcg.chcgil24.dsl.att.net
View	32	209.143.242.114	undefined
View	26	212.116.129.21	techlab.bia-bg.com
View	25	200.29.134.141	undefined
View	21	209.143.242.118	undefined
View	21	209.143.242.119	undefined
View	18	211.22.172.122	h122-172.hinet.net
View	16	209.73.164.48	av-dev4.sv.av.com
View	15	205.142.199.15	fw1.chmcc.org
View	15	208.35.215.250	ltsfoc.logictier.com
View	15	212.57.28.2	undefined

~ 2902

1 2 3 4 5 6 7 8 9 10 20 ⬛ NEXT ⬛

My Computer

Fig. 29

File   Edit   View   Favorites   Tools   Help

⇐ Back ▾ ⇒ ▾ ⊗ ⊡ ⌂ | ⊗Search ⊡Favorites ⊘History | ⊡▾ ⊜ ⊟ ⊟ | Links ⊜AltaVista - Welcome ⊜CNN.com ⊜Customize Links

Address ⊜ file:///C:/Documents%20and%20Settings/gcooper/Desktop/svsdemo/servlet/newsummaries.html?DateRange=today&FromMM=12&FromDD=19&FromYYYY=2000&Toml ▾ ⌐Go

SECURIFY

profile   log out   help

Security Chain Verification Service

Dashboard • Summary

Events Summary

**server time:
12.21.00 15:13
PST**

Print Version

today ▾

Conformance   Violators   Targets

7,153 violations of 1,131,477 total events (1%)
TARGETS

377 — 377
213
189 — 85
32   29   20   12   11   11   11
0

~ 3001

3003

3004

destination IP 12/19/2000-12/21/2000

DestIp:
209.143.242.118

2206

Viewing: 1 - 15 of 1671

Detail	▾ Count	IPDstAddress	TCP/UDPDstPort	DNSName
View	377	209.143.242.114	80	undefined
View	213	209.143.242.119	80	undefined
View	85	209.143.242.114	21	undefined
View	32	209.143.242.114	500	undefined
View	29	209.143.242.114	69	undefined
View	20	209.143.242.119	500	undefined
View	12	209.143.242.117	27374	undefined
View	11	209.143.242.114	27374	undefined
View	11	209.143.242.115	27374	undefined
View	11	209.143.242.118	27374	undefined
View	11	209.143.242.119	27374	undefined
View	11	209.143.242.121	27374	undefined
View	10	206.251.8.20	53	dns2.snv.gbix.net
View	10	209.251.8.84	25	dtmf.org
View	9	209.143.242.122	27374	undefined

~ 3002

1 2 3 4 5 6 7 8 9 10 20 30 40   NEXT

⊜   ⊒ My Computer

Fig. 30

Fig. 31

profile   log out   help

Dashboard • Summary

Security Chain Verification Service

Events Summary   server: 3.26.01 10:29 PST

Advanced Search

Print Version

Conformance \ Violators \ Targets

15 rows ▼ | last 7 days ▼

873,395 violations of 895,037 total events (98%)

CONFORMANCE

3201

rules 3/19/2001-3/26/2001

Viewing. 1 - 15 of 108

Detail	%	Count	Rule	Disposition	Type	▼ Severity	Monitor
View	0.025	217	Tcp Unexpected Sqlnet Services	Sql Server Blocked	ACCESS VIOLATION	CRITICAL	INTRANET LOCAL MONITOR
View	0.005	44	Tcp Unexpected Sqlnet Services	Sql Server Blocked	ACCESS VIOLATION	CRITICAL	PARTNER A MONITOR
View	0.001	1	default rule	policy error	ERROR	CRITICAL	INTRANET LOCAL MONITOR
View	0.131	1142	Http Unexpected Service Response	Access Blocked	ACCESS VIOLATION	HIGH	INTRANET LOCAL MONITOR
View	0.032	278	Ssl Authentication Examine Certificate	Invalid Certificate	AUTHENTICATION VIOLATION	HIGH	INTRANET LOCAL MONITOR
View	0.001	1	Ip Deny	protocol event limit exceeded	SECURITY ATTACK	HIGH	INTRANET LOCAL MONITOR

🗎 Local intranet

Fig. 32